

SYMBOL(S)	ITEM NO.	USED TO MOUNT	QTY	USED ON	ABSY. NO.	DATE
DS301,302	1			VLRA-1/AX434	AX434	8/17/65
	2	R309 WRG				
	3	HA102-7	4			
C304	4					
	7	J320	1			
		R301	2			
		R302	2			
		R307	2			
		R309	2			
		S303	2			
J320	9	FS121-2,FP198	10			
M301	11					
	14	FS121-2,FP198	10			
	16	R309 WRG	1			
	17					
	18					
R309	19					
R307	20					
R301	21					
R302	22	HA102-7, CU139-2B	4			
	23	NP611	4			
S302	24					
S304	25					
S301	26					
S303	27					
	28	CT100-2	2			
	29	RV4	4			
XDS301	30					
XDS302	31					

LIGHT, IND-GRN-BAT  
 LIGHT, IND-RED-PWR  
 TERM., LUG-3/8D  
 SCR, MACH  
 SW, ROTARY-AGC DECAY  
 SW, ROTARY  
 SW, TOGGLE-DPDT-AF/RF  
 SW, TOGGLE-DPST-PWR BAT.  
 SCR, TAP., THD CTG  
 SCR, MACH  
 RES, VAR-COMP-RF GAIN  
 RES, VAR-COMP-NOISE SIL  
 RES, VAR-COMP-AF GAIN  
 RES, VAR-COMP-LINE LVL  
 RES, FXD, COMP  
 NUT, PLN, HEX  
 PLATE, IDENT  
 METER, AF/RF LVL  
 KNOB-BFO, AF GAIN, CHAN SEL  
 KNOB  
 WASH., LK, SPLIT  
 PNL, FRONT  
 JACK, TEL  
 HDL, BOW  
 WASH., FLAT  
 STUD, SNAPSLIDE  
 CONT, ELEC  
 CAP., VAR, AIR  
 FRL, HDL  
 SOLDER, TIN ALY  
 LAMP, INCAND

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		POSE	
		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
		PANEL ASSEMBLY, FRONT	
		ENG COORD 5-17-65	
		DRAWN	
		CHECKED	
		FINAL APPR YAL	
		ELEC. DES. APP.	A3367
		MECH. DES. APP.	

ORIGINAL RELEASE!  
 DATE 6/23/65  
 SCALE  
 UNLESS OTHERWISE SPECIFIED  
 DIMENSIONS ARE IN INCHES AND INCLUDE  
 CHEMICALLY APPLIED OR PLATED FINISHES  
 TOLERANCES  
 DECIMALS  
 .X ± .05  
 .XX ± .01  
 .XXX ± .005  
 FRACTIONS  
 ± 1/64  
 ANGLES  
 ± 0° 30'