



THIS SYMBOL DENOTES END OF INSULATION AND NAIL DRIVING POINT. WIRE MUST BE STRIPPED 3/4" BEYOND THIS POINT AND TINNED 1/2" UNLESS OTHERWISE SPECIFIED.

WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN. SPACE LACING APPROXIMATELY 3/4" APART.



BREAKOUT LOCATIONS




CONNECTOR PINS



ITEM NUMBERS

75'-0"



REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD
	X	EXP RELEASE	7/15/69		GE	JW
	Ø	ORIGINAL RELEASE FOR PRODUCTION	9/13/70		W	

1	14	PX 100-375	INSULATION, SLEEVING, ELECTRICAL			
1	13	MS 3420-8	GUIDE MODULE			
1	12	JJ-310-24	CONNECTOR RECEPTACLE			
10	11	TE 120-2	SPADE LUG			
1	10	MWC20(7)U-10	1	2	TB3003-10	JJ 310-24 PIN 14
	9					-9
	8					-8
	7					-7
	6					-6
	5					-5
	4					-4
	3					-3
	2					-2
1	1	MWC 20(7)U-1	1	2	TB3003-1	JJ 310-24 PIN 2

REQ'D	ITEM	PART NUMBER	FROM	TO	DESCRIPTION	SYM.
-------	------	-------------	------	----	-------------	------

De MARCO LIST OF MATERIAL

1	RSCA-1	ASS'Y. NO.
QTY / UNIT	MODEL USED ON	ASS'Y. NO.
APPLICATION		
	CODE	

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	FINAL APPROVAL S. De Marco MECH. DES.	DATE 7-13-70
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS 1/64 ANGLES 0°-30'	ELECT. DES.
MATERIAL	CHECKED JW	DATE 9/5/69
FINISH	DRAWN G. EVANGELIST	DATE 7/15/69

THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
REMOTE ANTENNA SELECT CABLE			
SIZE B	CODE IDENT. NO. 82679	DWG NO. CA 15/11	ISSUE Ø
SCALE	SHEET		OF