



REVISIONS							
E.M.N.O.	DRAFT	CHKD	ZONE	LTR	DESCRIPTION	DATE	APPROVED
				X	EXP. RELEASE	3/23/71	R.L.
	W			✓	ORIGINAL RELEASE FOR PRODUCTION	6/10/71	R.E.



1 TLAA-1K AS160

QTY / UNIT	MODEL USED ON	ASSY NO.
	APPLICATION	
	CODE	

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
LIST OF MATERIAL				
FINAL APPROVAL		DATE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK WIRING, HARNESS BANDSWITCH	
MECH. DES.		DATE		
ELECT. DES.		DATE		
CHECKED		DATE		
DRAWN		DATE		
MATERIAL			SIZE	CODE IDENT NO. DWG NO.
FINISH			D	82679 CA1628
			SCALE	SHEET OF

REQ	ITEM	PART NUMBER	BREAKOUT		DESTINATION OR DESCRIPTION	
			FROM	TO	FROM	TO
	1	MWC20(7)U90	91	1	XK1 PIN 1	
	2	LWC26(7)U1	91	4	SZA FRONT POS. 9	
	3	U2	91	4		10
	4	U3	91	4		11
	5	U4	91	4		12
	6	U5	91	7	FRONT	1
	7	U6	91	7	REAR	6
	8	U7	91	4		7
	9	U8	91	4		9
	10	LWC26(7)U9	91	4	SZA REAR POS. 10	
	11	MWC20(7)U91	91	8	EZ	
	12	MWC20(7)U8	91	1	XK1 PIN 5	
	13	LWC26(7)U90	91	6	S2B REAR POS 2	
	14	U91	91	6		3
	15	U92	91	6		4
	16	U93	91	6		5
	17	U94	91	6		6
	18	U95	91	3		7
	19	U96	91	3		8
	20	U97	91	3		10
	21	U98	91	3	S2B REAR POS. 11	
	22	U0	91	5	S2C FRONT POS. 4	
	23	U8	91	2	REAR	11
	24	U7	91	2		10
	25	LWC26(7)U6	91	2	S2C REAR POS. 8	

CA CA1628

SHEET 2 OF 2

REQ	ITEM	PART NUMBER	BREAKOUT		DESTINATION OR DESCRIPTION	
			FROM	TO	FROM	TO
	26	LWC 26(7) U5	9	2	P1 PIN 26 J1008	S2C REAR POS 7
	27	↑ U4	9	5	↑ 27	↑ 6
	28	U3	9	5	↓ 28	↓ 5
	29	U2	9	5	↓ 29	↓ 4
	30	↓ U1	9	5	↓ 30	S2C REAR POS 3
	31	LWC 26(7) U91	9	1	P1 PIN 31 J1008	XK1 PIN 7
	32	LWC 26(7) U8	1	6	XK1 PIN 5	S2B FRONT POS. 4
	33	LWC 26(7) U3	1	7	XK1 PIN 2	S2A FRONT POS. 6
	34	LWC 26(7) U4	1	7	XK1 PIN 3	S2A FRONT POS. 3
	35	mwC 20(7) U7	7	8	S2A FRONT POS. 4	Σ 1
	36					
	37					
	38					
1	39	SS 313-3H			CONN. PLG. ML 37/C	
	40	PX 100-1-166			INS. SLY. & SEC	
	41	PX 100-1-186			INS. SLY. & SEC	
	42	PX 100-1-375			INS SLY & SEC	
	43	PX 830-12-1			INS SLY SHRK	
8	44	LA101			MKR, CBL	
1	45	LA107-15-J1008			SLY. MKR, CBL	
1	46	LA107-15-P1			SLY. MKR, CBL	
	47	CD101-1MW			CORD, NYLON, LACING	
	48	BS 100			SOLDER, TIN, ALLOY	