


CA-777

REVISIONS						
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
A	REDRAWN & REVISED					
0	ORIGINAL RELEASE FOR PRODUCTION	4-27-64		SRG		

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
	10	BS-100	SOLDER, SOFT	
	9	CD-101-1-MW	CORD, LACING	BLACK
	8	LA-101-47 THRU 52	WIRE MARKER	
6	7	TE-120-2	LUG, SPADE	
	6	MWC 20 (7) B8	CABLE, INSULATED, FIBERGLASS	GRAY
	5	93		WH/ORN
	4	4		YELLOW
	3	MWC 20 (7) B 93		WH/ORN.
	2	MWC 18 (16) B 2		RED
	1	MWC 18 (16) B6	CABLE, INSULATED, FIBERGLASS	BLUE

THIS SYMBOL DENOTES END OF INSULATION THIS EQUALS THIS   
 # NAIL DRIVING POINT. WIRE MUST BE STRIPPED 3/4" BEYOND THIS POINT & TINNED 1/2" UNLESS OTHERWISE SPECIFIED.

WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN. SPACE LACING APPROX 3/4" APART.



**NOTES**

~SYMBOL NOTES~

- DENOTES ITEM NO.'S.
- DENOTES LUGS
- DENOTES TAGS

1	GPT-200K	AR-153
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE	CODE	
	A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

F. BUDETTI				LIST OF MATERIAL	
MATERIAL		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
FINISH		TITLE CABLE ASS'Y., BIAS RELAY JUMPER (RELAY B)			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DRAWN <i>G. Sener</i> CHECKED <i>aa</i>	DATE 4-25-63 DATE 	FINAL APPROVAL <i>RAC</i>	DATE
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	ELECT. DES. <i>S.D.</i> MECH. DES.	DATE 4-27-64 DATE 2-7-64	SHEET CA-777 REV. LTR. 0