


ISSUE	ITEM	CHANGED FROM	DATE	CN NO.	DRAFTS	CHECKER	ENG. APP.	REQ	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		REL TO PROD	20 JAN 79		P.S.		<i>[Signature]</i>					



MCU-RCU-16	PROJECT NO. 085-69	DATE SEPT 17-69	STOCK SIZE	TMC (Canada) LIMITED OTTAWA ONTARIO
MODEL	USED ON	ASSY. NO.	MATERIAL	SCHEMATIC MICROPHONE AMP.
			WEIGHT PER PC	
			TYPE & TEMPER	J. G. PARKIN
			HEAT TREAT. SPEC.	ELEC. DES. APP. <i>[Signature]</i>
			FINISH & SPEC. NO.	MECH. DES. APP.
				CHECKED
				FINAL APPROVAL
				CK 10731

IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.


MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.

TOLERANCES

DEC DIM. ± .05
 .X = .05
 .XX = .01
 .XXX = .005

DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

DRILL: PURCH. COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.




ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		PROD RELEASE	6 APR 1970		SA							

MODEL		PROJECT NO.	ASSY. NO.	DATE
STOCK SIZE		USED ON		
MATERIAL	WEIGHT PER PC.	IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		
TYPE & TEMPER		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		
DRAWN		DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		
CHECKED		SCALE		
MECH. DES. APP.		DEC. DIM. 1 .X ± .05		
FINISH APPROVAL		FRAC. DIM. ± 1/64 .XX ± .01		
		ANGULAR DIM. ± 0° 30' .XXX ± .005		
		FINISH & SPEC. NO.		

TMC (Canada) LIMITED OTTAWA ONTARIO	
RESISTOR BD. SCHEMATIC	
MTR-100 (CAN-1)	
J. G. PARKIN	
CK10732	Ø


ALL DIMENSIONS ARE IN INCHES

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
φ		PRODUCTION RELEASE	18 Nov 70		G.C.T.	<i>[Signature]</i>	<i>[Signature]</i>					




REF PP10106

LMC 20	PROJECT NO.	18 Nov 70	DATE
MODEL	ASSY. NO.		
USED ON			
<p>MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES</p>		<p>IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.</p>	
<p>TOLERANCES</p> <p>DEC. DIM. ± .X = .05</p> <p>FRAC. DIM. ± 1/64 .XX = .01</p> <p>ANGULAR DIM. ± 0° 30' .XXX = .005</p>		<p>SCALE</p> <p>DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED</p> <p>DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.</p>	
ALL OTHERS			
<p>TMC (Canada) LIMITED OTTAWA</p>		<p>FINAL APPROVAL</p> <p>CK10739</p>	
<p>FILTER BOARD (SCHEMATIC)</p>		<p>ELEC. DES. APP. <i>[Signature]</i></p> <p>MECH. DES. APP.</p>	
<p>G.C. THOMPSON</p>		<p>CHECKED</p>	
<p>DRAWN <i>[Signature]</i></p>		<p>FINISH & SPEC. NO.</p>	
<p>STOCK SIZE</p>		<p>WEIGHT PER PC.</p>	
<p>MATERIAL</p>		<p>HEAT TREAT. SPEC.</p>	
<p>TYPE & TEMPER</p>		<p>FINISH & SPEC. NO.</p>	




ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL							
XI		ENGINEERING DESK	22 SEP 69		R		W												
<p>MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.</p> <p>IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.</p> <p>SCALE: DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED. DRILL: PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.</p> <p>TOLERANCES: DEC. DIM. ± .X ± .05 FRAC. DIM. ± 1/64 ± .XX ± .01 ANGULAR DIM. ± 0° 30' ± .XXX ± .005</p>																			
<p>USED ON</p> <table border="1"> <tr> <td>MODEL</td> <td>PROJECT NO.</td> <td>ASSY. NO.</td> <td>DATE</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </table>												MODEL	PROJECT NO.	ASSY. NO.	DATE				
MODEL	PROJECT NO.	ASSY. NO.	DATE																
<p>TMC (Canada) LIMITED OTTAWA ONTARIO</p> <p>RESISTOR BD. SCHEMATIC</p> <p>LPA 11K (CAN-1)</p> <p>T. G. PARKIN DRAWN</p> <p>W. A. F. ELEC. DES. APP.</p> <p>MECH. DES. APP.</p>																			
<p>STOCK SIZE</p> <p>MATERIAL</p> <p>WEIGHT PER PC.</p> <p>TYPE & TEMPER.</p> <p>HEAT TREAT. SPEC.</p> <p>FINISH & SPEC. NO.</p>																			
<p>ALL OTHERS</p> <p>DEC. DIM. ± .X ± .05 FRAC. DIM. ± 1/64 ± .XX ± .01 ANGULAR DIM. ± 0° 30' ± .XXX ± .005</p> <p>FINAL APPROVAL</p> <p>CK10742 XI</p>																			



MODEL	PROJECT NO.	ASSY. NO.	DATE	STOCK SIZE
USED ON				
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.		IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		
		SCALE		
TOLERANCES DEC. DIM. 1 .X = .05 FRAC. DIM. ± 1/64 .XX = .01 ANGULAR DIM. ± 0° 30' .XXX = .005		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED DRILL; PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		
ALL OTHERS		FINISH & SPEC. NO.		
TMC (Canada) LIMITED OTTAWA				
RESISTOR AND ALDC RP. SCHEMATIC				
<i>[Signature]</i> J. G. PARKIN		DRAWN ELEC. DES. APP.		
CHECKED		MECH. DES. APP.		
FINAL APPROVAL		CK10746		
XI				

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		PROD RELEASE	16 DEC		APP							
A		REVISED PER CEMN	9 DEC 1970	875								
B		REVISED PER CEMN	1 DEC 71	1100	PL							




REDRAWN
 AND
 REVISED
 8 MAR 72

ALL DIODES IN914 B


AMC 218	081/70	16 DEC 69					
MODEL	PROJECT NO.	ASSY. NO.	DATE	STOCK SIZE	MATERIAL	WEIGHT PER FC.	
USED ON							
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.			
				SCALE			
DEC. DIM. ± .X = .05 FRAC. DIM. ± 1/84 .XX = .01 ANGULAR DIM. ± 0° 30' .XXX = .005				DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.			
TOLERANCES				FINISH & SPEC. NO.			
ALL OTHERS				FINISH & SPEC. NO.			
TMC (Canada) LIMITED OTTAWA ONTARIO				SCHEMATIC DIAGRAM			
PROCTOR				LIGHTNING PROTECTION			
DRAWN				ELEC. DES. APP.			
CHECKED				MECH. DES. APP.			
FINAL APPROVAL				CK 10751			
				B			

ISSUE	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø	REL TO PROD	MAY 8/69		AP			1	1	A10757-3	P.C. ASS'Y (LETT.) PRE-AMP	
A	REVISE PER CEMN	FEB 2/69	907	AFP			3	2	TE 10023-3	TERM SOLDER (BIFURCATED)	



MODEL	PROJECT NO.	ASSY. NO.	DATE
MAC-1	074/69		APR 23/69
USED ON			
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES		IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.	
TOLERANCES DEC. DIM. ± .X = .05 FRAC. DIM. ± 1/64 ANGULAR DIM. ± 0° 30'		SCALE N.T.S. DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED DRILL: PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.	
ALL OTHERS			
STOCK SIZE MATERIAL TYPE & TEMPER HEAT TREAT. SPEC. FINISH & SPEC. NO.		TMC(Canada) LIMITED OTTAWA P.C. ASS'Y PRE-AMP (SUB) AP DRAWN CHECKED ELEC. DES. APP. FINAL APPROVAL A10757-4 A	


ISSUE	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENB. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø	REL TO PROD	MAY 8/69		AP		W	1	1	A 10757-3	P.C. ASS'Y (LETT.) PRE	
A	REVISE PER CEMN	MAR 22/71	907	APP		(W)	5	2	TE 10023-3	TERM SOLDER (BIFURCATED)	



MODEL		PROJECT NO.		DATE		STOCK SIZE		TMC (Canada) LIMITED OTTAWA	
AMC-32		074/69		MAY 8/69				P.C. ASS'Y PRE-AMP	
CH. NO.		DRAFTS		CHECKER		ENB. APP.		MATERIAL	
907		APP				W		AP	
DATE		IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		SCALE		HEAT TREAT. SPEC.		TYPE & TEMPER	
MAY 8/69		N.T.S.		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED				DRAWN	
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES		DRILL; PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		TOLERANCES				CHECKED	
DEC. DIM. ± .05		FRACTIONAL DIM. ± 1/64		ANGULAR DIM. ± 0°30'				ELEC. DES. APP.	
								TECH. DES. APP.	
ALL OTHERS								FINAL APPROVAL	
								A 10757-5	
								A	

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		PROD. RELEASE	30 APR 70		DR	[Signature]						
A		REVISED PER CENN	MA 2/70	794	[Signature]							

→ SQUELCH INDICATOR OR RELAY



MODEL		PROJECT NO.	ASSY. NO.	DATE	TMC (Canada) LIMITED OTTAWA ONTARIO	
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES		IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.			SCHEMATIC DIAGRAM	
TOLERANCES		SCALE			MOD KIT SQUELCH STR-5	
DEC. DIM. ± .X = .05	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED			DRAWN		
FRAC. DIM. ± 1/64 .XX = .01	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.			ELEC. DES. APP.		
ANGULAR DIM. ± 0° 30' .XXX = .005				CHECKED		
ALL OTHERS				MECH. DES. APP.		
				FINAL APPROVAL		
				CK10765 A		