


T M C PART NO.	DIMENSIONS													HOLES		
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	a	b
MS5575-1	2 3/4	1 3/8	1 27/32	59/64	17/32	1 1/16	1/4	2 1/4	1/2	1/4	1/4	1 1/2	15/16	1	1/8	3/16
-2	2 3/4	1 3/8	1 5/16	21/32	27/32	1 1/6	1/4	2 1/4	1/2	1/4	1/4	1 1/2	15/16	1/2	1/8	3/16

REVISIONS							
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
	X1	REVISED DIMENSIONS	7.16.69		RS		
	X2	CHG. 2 HOLES TO 1/8" & b HOLE TO 3/16"	8-21-69		DA		
	X3	ADDED -2	9.4.69		GE		
		ORIGINAL RELEASE	11/1/70		GD		



QTY / UNIT	1	MODEL USED ON	PALA-10K	ASS'Y NO.	AX 5084
APPLICATION		CODE			

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	FRACTIONS	1/64
DECIMALS	TOLS.	ANGLES
.X ± .05	.XX ± .01	0° - 30°
.XXX ± .005		
MATERIAL	.064 THICK	
ALUMN	5052-H32	
FINISH	S404 YELLOW IRIDITE	

REQ'D ITEM	F. BUDETTI	PART NUMBER	
FINAL APPROVAL	<i>[Signature]</i>	DATE	1-12-70
MECH. DES.	<i>[Signature]</i>	DATE	1-12-70
ELECT. DES.		DATE	7.16.69
CHECKED		DATE	
DRAWN	<i>[Signature]</i>	DATE	7.16.69

LIST OF MATERIAL	DESCRIPTION	SYM.
THE TECHNICAL MATERIEL CORP.		
MAMARONECK, NEW YORK		
BRACKET, CONNECTOR, MTG		
SIZE	CODE IDENT. NO.	DWG NO.
B	82679	MS 5575-
SCALE	1:1	SHEET
		OF
ISSUE		

- UNLESS OTHERWISE SPECIFIED:
- USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
 - ALL ANGULAR BENDS 90 DEGREES.
 - REMOVE ALL BURRS AND SHARP EDGES.

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.