


REVISIONS

APPLICATION

QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	SME-5		X	EXP RELEASE ORIGINAL RELEASE FOR PRODUCTION	1-13-78				



UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
2. ALL ANGULAR BENDS 90 DEGREES.
3. REMOVE ALL BURRS AND SHARP EDGES.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.	
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005				LIST OF MATERIAL		
FRACTIONS 1/64 ANGLES 0°-30'						
MATERIAL 064 THK ALUM. 5052-H32	FINAL APPROVAL			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
FINISH 5404	MECH. DES.			BRACKET MTG. CONN.		
YEL IRIDITE	ELECT. DES.					
	CHECKED					
	DRAWN	G.D.L				
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.	DATE	1/18/78		SIZE	A	
	DATE			CODE IDENT. NO.	82679	
	DATE			DWG NO.	MS 6596	
	DATE			SCALE	1:1	
	DATE	1-15-74		SHEET	OF	