


REVISIONS

APPLICATION

QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
11	HFLA-10K		Ø	ORIGINAL RELEASE FOR PROD	8/76		CL		

MARK TMC PART NUMBER  
1/8 HIGH GOTHIC WITH LATEST  
REVISION LETTER

15  
64 DIA  
2REQ



UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
2. ALL ANGULAR BENDS 90 DEGREES.
3. REMOVE ALL BURRS AND SHARP EDGES.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS .X ± .05  
.XX ± .01  
.XXX ± .005

FRACTIONS 1/64

TOLS. 1/64

ANGLES 0°-30°

MATERIAL .064 THK  
AL 5052-H32

FINISH S404

YEL IRIDITE

DESCRIPTION

PART NUMBER

REQ'D ITEM

FINAL APPROVAL

MECH. DES.

ELECT. DES.

CHECKED

DRAWN

LIST OF MATERIAL

DATE 8-12-76

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

THE TECHNICAL MATERIEL CORP.  
MAMARONECK, NEW YORK

BRACKET, MTG SW

SIZE A

CODE IDENT. NO. 82679

DWG NO. MS 6729

ISSUE Ø

SCALE

SHEET OF

NOTICE TO PERSONS RECEIVING THIS DRAWING  
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.