



RY-111

TMC PART NO.	HELDOR MFG. PART NO.	FIG.	A	B	C	D	E	F	G	H	I
RY-111-1	342	1	3/16	X	3/32	9/64	1/16	1/16	X	.150	X
RY-111-2	442	1	1/4	.158	.107	5/16	1/16	9/64	7/64	.158	X
RY-111-3	442-A	1	1/4	.158	.107	7/32	1/16	3/32	1/16	.158	X
RY-111-4	452	1	9/32	.203	.107	11/32	3/32	9/64	7/64	.203	X
RY-111-5	500-F	1	1-1/4	X	15/32	3/4	9/16	3/16	X	3/4	X
RY-111-6	500-M	1	1-1/4	X	3/4	3/16	3/16	X	X	X	X
RY-111-7	633-A	1	7/16	15/64	.125	9/16	3/32	7/32	1/4	15/64	X
RY-111-8	633-A MOD	1	7/16	15/64	.125	15/32	3/32	7/32	.165	15/64	X
RY-111-9	633-B	1	5/16	15/64	.125	9/16	3/32	7/32	1/4	15/64	X
RY-111-10	633-C	1	5/16	15/64	.125	15/32	3/32	7/32	.165	15/64	X
RY-111-11	733-A	1	7/16	15/64	.125	1-3/32	3/32	31/64	33/64	15/64	X
RY-111-12	833	1	7/16	19/64	.150	9/16	3/32	3/16	17/64	19/64	X
RY-111-13	1028	1	3/4	7/16	.177	1-7/32	1/8	7/16	21/32	1/2	X
RY-111-14	1028-A	1	3/4	1/2	.177	15/16	1/8	7/16	3/8	1/2	X
RY-111-15	1035	2	1-1/16	5/8	.177	1-25/32	1/8	41/64	1-1/32	3/4	19/32
RY-111-16	1035-A	1	1-1/16	3/4	.177	1-3/8	1/8	41/64	39/64	3/4	X
RY-111-17	1035-A MOD	1	1-1/16	3/4	.234	1-3/8	1/8	41/64	39/64	3/4	X
RY-111-18	1041-1	1	2-5/16	1-5/8	.177	4-3/16	3/16	5/8	3-3/8	1-3/4	X
RY-111-19	1041-2	1	2-5/16	1-5/8	.177*	4-3/16	3/16	5/8	3-3/8	1-3/4	X

* 2 Holes on 3/4" Centers for two Conductors

STANDARD DRAWING



B	2	ON TOLERANCE ±.005 & ±1/64 ADDED								
B	1	REF: HELDOR BUSHING & TERMINAL CO. DELETED - ON CODE S401-143 ADDED	7/9-63	9474	G.D.L.	R.P.	J.P.			
A	1	REF ADDED	9/13/56	1	H.W.	C.S.D.	W.C.			
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.			
TOLERANCES		SCALE:		CODE S401-143						
DEC. DIM. ± .005		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.								
FRAC. DIM. ± 1/64		REMOVE ALL BURRS AND SHARP EDGES								
ANGULAR DIM. ±										
REQ. PER UNIT	MODEL	PROJECT NO.	ASS'Y. NO.	DATE						

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP.	
		MAMARONECK.	
		NEW YORK	
STOCK SIZE		GLAND, NEOPRENE	
NEOPRENE 225°F CONSTANT			
MATERIAL			
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
		J.P.	C.S.D.
		A.R.B.	
FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.
		RY-111	