

Serial No.	Freq. Mcs.	700 ohms Term.				200 ohms Term.			
		V0	V1	V2	V3	V0	V1	V4	V5
1270	2.0	1.0	45	60	60	1.0	45	35	33
	8.0	1.0	50	70	70	1.0	51	39	40
	32.0	1.0	53	73	85	1.0	56	45	50
1271	2.0	1.0	45	60	60	1.0	45	35	33
	8.0	1.0	50	70	70	1.0	51	39	40
	32.0	1.0	53	74	84	1.0	56	44	50
1272	2.0	1.0	45	60	60	1.0	45	35	33
	8.0	1.0	50	70	70	1.0	51	38	39
	32.0	1.0	54	73	85	1.0	55	43	49
1273	2.0	1.0	45	60	60	1.0	45	35	33
	8.0	1.0	50	70	70	1.0	51	39	40
	32.0	1.0	53	74	84	1.0	56	43	50
1274	2.0	1.0	45	60	60	1.0	45	35	33
	8.0	1.0	50	70	70	1.0	50	39	41
	32.0	1.0	53	73	84	1.0	56	44	50
1275	2.0	1.0	45	60	60	1.0	45	35	34
	8.0	1.0	50	70	70	1.0	51	39	40
	32.0	1.0	53	74	84	1.0	56	45	50
1276	2.0	1.0	45	60	60	1.0	45	35	33
	8.0	1.0	50	70	70	1.0	50	38	39
	32.0	1.0	53	74	83	1.0	55	44	49
1277	2.0	1.0	44	60	60	1.0	45	35	34
	8.0	1.0	50	70	70	1.0	51	39	41
	32.0	1.0	54	73	85	1.0	56	44	50
1278	2.0	1.0	45	60	60	1.0	45	35	34
	8.0	1.0	50	70	70	1.0	50	38	39
	32.0	1.0	54	73	85	1.0	55	43	50
1279	2.0	1.0	45	60	60	1.0	45	35	34
	8.0	1.0	51	70	70	1.0	51	39	41
	32.0	1.0	54	73	84	1.0	56	45	51

DATE 3-25-53	Typical Test of RAC	THE TECHNICAL MATERIEL CORPORATION MAMARONECK, NEW YORK	
DRN.		SHEET / OF / NO. 5-158	
CHKD. <i>C. D. J.</i>			
APPD.			