

DATE	10/30/63	TMC SPECIFICATION NO. S 791	
SHEET	1 OF 4		
11/1/63 COMPILED	<i>V.P.</i> CHECKED	TITLE: RTB-14 TEST PROCEDURE	
APPROVED <i>[Signature]</i>			

TEST PROCEDURE RTB - 14

DATE 10/30/63
SHEET 2 OF 4


TMC SPECIFICATION NO. S 791

R. R. H.
COMPILED

NP
CHECKED

TITLE: RTB-14 TEST PROCEDURE

APPROVED



DATE <u>10/30/63</u>		TMC SPECIFICATION NO. S 791
SHEET <u>3</u> OF <u>4</u>		
R.R.H. COMPILED	<i>VP</i> CHECKED	TITLE: TEST PROCEDURE MODEL RTG - 14
APPROVED		

EQUIPMENT REQUIRED

Simpson Model 260 VOM or Equivalent

1. Inspect unit for mechanical defects before testing.
2. Check Resistance from A to H. The VOM should read between 22.5 and 27.5 OHMS.
3. Record Steps 1 and 2 on Test Data Sheet.

DATE	10/30/63	TMC SPECIFICATION NO. S 791
SHEET	4 OF 4	
R. R. H. COMPILED	<i>N.P.</i> CHECKED	TITLE: TEST PROCEDURE MODEL RTB-14
APPROVED		

THE TECHNICAL MATERIEL CORPORATION
Mamaroneck, N. Y.

RTB-14 TEST DATA SHEET

SERIAL NO. _____

MFG. NO. _____

1. Unit is free of mechanical faults _____ O.K.
2. Between A and D Terminals _____ Ohms

DATE _____

TESTER _____