


REVISIONS					
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD APPD
X	EXPERIMENTAL RELEASE	11/12/68		C.V.	
Ø	ORIGINAL RELEASE FOR PRODUCTION	8/12/69		W.	
A	REDRAWN FROM PHOTO TO LINE DWG	10/21/70	20049	W.	P.E.B.



ASSEMBLY NOTES

1. TO MOUNT COMPONENTS INSERT LEAD THROUGH PLATED THRU-HOLES.
2. CAUTION: WHEN APPLYING HEAT AND SOLDER TO LEAD AND FOIL.
3. CLEAN AND INSPECT AS PER TMC SPEC S676.
4. FOR ELECTRICAL COMPONENT PART NUMBERS REFER TO NPL A4495.
5. USE SYMBOL NUMBERS FOR ASSEMBLY REFERENCE.

X	2	BS100	SOLDER, TIN ALLOY	
1	1	PC317	PRINTED CIRCUIT BOARD	
REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
LIST OF MATERIAL				
MATERIAL		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
FINISH		TITLE PC317 ASSEMBLY GATING CIRCUIT		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DRAWN	DATE	FINAL APPROVAL
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		CHECKED <i>R. DeLoach</i>	DATE 8/11/69	<i>J. D. Maras</i>
FRACTIONS ± 1/64 ANGLES ± 0° 30'		ELECT. DES.	DATE	8-11-69
TOLERANCES		MECH. DES. <i>R. Uzzo</i>	DATE 8-6-69	A 4495
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.				A
				REV. LTR.

RTIH-3A		
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE	CODE A	5401-451

NOTES

8-10-70
5-16