



IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.



AUDIO RETURN TO RSC VIA MICROWAVE LINK OR TELEPHONE LINES (600Ω)

AUDIO FROM FFR VIA MICROWAVE LINK OR TELEPHONE LINES (600Ω)

NOTE: X = CABLE LENGTH IN INCHES DETERMINED BY INSTALLATION. ON CABLES CA-197 & 202 BETWEEN NEAR ENDS OF FANNING STRIPS. ON CABLES CA-198 & 201 BETWEEN NEAR END OF FANNING STRIP AND WIRE ENDS.

REV	DESCRIPTION	DATE	BY	CHKD
B	E101 CORRECTED	10-21-58	HJT	WJC
A	E101 Connection chgd 1 to 3	10-21-58	HJT	WJC
ISSUE	CHANGED FROM	DATE	EN. NO. DRAFTS	CHECKER
TOLERANCES		SCALE:		
ALL OTHERS	DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		

REQ. PER UNIT	MODEL	PROJECT NO.	ASSY. NO.	DATE
USED ON				

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
SYSTEM CABLING DIAGRAM			
RCR-5			
DRAWN		CDD 4-21-5	WJC
ELEC. DES. APP.		MECH. DES. APP.	
CHECKED		FINAL APPROVAL	
FINISH & SPEC. NO.		ID-145 B	