


4

3

2

1

REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	A	WIRING FOR CRA-2 DELETED	2-2-68		ROG	JFP JFP
	B	DWG. No. WAS 40N12C7035	8-24-67		C. G. ROG	
	C	ADD FAB NOTE & SPEC	3-12-70	19764	KD	



THIS IS NOT ORIGINAL ARTWORK
 THIS IS TO BE USED FOR REFERENCE ONLY

FABRICATION NOTES:
 TO BE MANUFACTURED IN ACCORDANCE WITH TMC SPEC S735 AND SPECIFICALLY

- OVERALL MATERIAL THICKNESS .062 ± .0062 AS PER (pp 3.1.3.2)
- CONDUCTOR PATTERN TO BE COPPER FOIL AS PER (pp 4.1) PLATING TO BE TIN LEAD AS PER (pp 13.2.2. 13.2.1)
- MIN FINISHED CONDUCTOR WIDTH SHALL NOT BE LESS THAN .020
 MAX FINISHED CONDUCTOR WIDTH SHALL BE DETERMINED BY THE ARTWORK LINE WIDTH ± .008
- MATERIAL: 1/16 GIO GLASS EPOXY LAMINATE 2 OZ. COPPER GLAD BOTH SIDES (THICKNESS .062)

HOLE	KEY
A	NO. 32
B	NO. 49
C	NO. 54
D	NO. 60

1	SPT-3KVHF	API3747
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION A8071		
	CODE	
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		FINAL APPROVAL J.F.P. [Signature]	DATE 1-27-68
TOLERANCES ON		MECH. DES. ROG	DATE 12-5-67
DECIMALS	FRACTIONS	ELECT. DES. J.F.P. [Signature]	DATE 9-29-69
.X ± .05	± 1/64	CHECKED J.F.P.	DATE 1-15-68
.XX ± .01	ANGLES	DRAWN J.F.P.	DATE 1-3-68
.XXX ± .005	± 0°-30'		
MATERIAL			
FINISH			

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
LIST OF MATERIAL				
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
POWER SUPPLY PSD-R-24-I.5				
P C DRILLING				
SIZE	CODE IDENT.NO.	DWG NO.	ISSUE	
C	82679	40N12C7035	PC 8026	C
SCALE				SHEET 2 OF 2

4

3

2

1